



# Adolescents and Drug Abuse in Tanzania: History and Evolution

Kambuga Yusuph<sup>1\*</sup> and Ion Negret<sup>1</sup>

<sup>1</sup>Faculty of Psychology and Education Science, University of Bucharest, Șos Panduri. Nr. 90. Bucharest, Romania.

## Authors' contributions

*This work was carried out in collaboration between both authors. Author KY designed the study, collects and assembles the review materials and wrote the first draft of the manuscript. Author IN managed the critical revision of the manuscript. Both Authors read and approved the final Manuscript.*

## Article Information

DOI: 10.9734/AIR/2016/24897

### Editor(s):

- (1) Tetsuji Yamada, Chair and Professor of Health Economics Department of Economics Center for Children and Childhood Studies Rutgers University, the State University of New Jersey, USA.
- (2) Sharon Lawn, Department of Psychiatry, Flinders Human Behaviour and Health Research Unit, Flinders University, Australia.
- (3) Jinyong Peng, Professor, College of Pharmacy, Dalian Medical University, Dalian, China.

### Reviewers:

- (1) Anonymous, University of Ribeirão Preto, Brazil.
  - (2) Ibiwani Alisa Hussain, University of Technology and Innovation, Bukit Jalil, Kuala Lumpur, Malaysia.
- Complete Peer review History: <http://sciencedomain.org/review-history/14577>

Review Article

Received 6<sup>th</sup> February 2016  
Accepted 3<sup>rd</sup> May 2016  
Published 11<sup>th</sup> May 2016

## ABSTRACT

Drug abuse continues to be a major risky behaviour problem among young people all over the world. The study served as one key contribution to the knowledge of the world on the level of drug abuse in East Africa and suggested ways to curb the problem from increasing. The study findings revealed that 5-12% of young people have experienced drug use such as alcohol, cigarette, cannabis and khat at a young age and 2.1% have injected themselves with drugs such as heroin popularly known as "brown sugar". Despite the fact that Tanzania's existing laws provide stern punitive measures against all those involved in drug trafficking and consumption, the war against narcotic seems to be difficult as Tanzania continues to be a transit route for illicit drug. It is very unfortunate that young people are easily pooled into drug because of persuasive deals from drug barons who commission them to sell drugs on behalf as petty dealers. The government needs to take strong action against drug dealers. This includes passing of the pending narcotics laws of 2009 by the parliament and strengthening Anti-drug Agency; establish mobile rehabilitation services in schools, introducing drug prevention programmes in schools and passing drug testing policy in school to identify drug using students.

\*Corresponding author: E-mail: Kambuga2008@yahoo.com;

**Keywords:** Adolescent; addiction; treatment; drug; history; evolution; schools; anti-drug agency; Tanzania.

## 1. BACKGROUND

This paper presents the results of the review on the history and evolution of drug abuse in Tanzania, the intent is to contribute to our understanding of what influences the extent to which young people are involved in psychoactive drug trafficking and abuse. In short, Tanzania which is located in East Africa remains to be among the poorest countries in the world with just \$49.18 billion per capita income GDP [1]. The cause has been hypothetically to be high level of corruption and embezzlement of the national funds. Notwithstanding the country's wealth which is composed of different mineral gems such as gold, diamond, Tanzanite and uranium together with its natural forests, national parks and game reserves, and the more recently discovered natural gas and oil, just to mention a few has failed to address the needs of ordinary people. Thus, threatening the well-being of the adolescents and youths as the results, 28.9% of the population live below the poverty line.

The increase in poverty and unemployment among graduate and non-graduate people has worsened household lives, forcing parents to send their children begging in the streets, children engaging themselves in girl-child sexual business while others are pooled into the drug business in association with drug barons and some unethical politicians and government officials [2-4].

## 2. HISTORY AND EVOLUTION OF DRUG USE

People have used drugs from time immemorial in the form of substances such as leaves, roots and herbs in order to alleviate pain or manage certain illness and stress [5]. In Tanzania, the history of drug or substance use, to a large extent was limited to the traditional use of cannabis (Bangi), khat, tobacco and different types of traditional liquor popularly known as "gongo" in many parts of Tanzania Mainland. Nevertheless, the modern way of illicit drug use in the country lacks accurate data as to exactly when it started spreading. Educated speculation advocate that other than the legal use of alcohol and tobacco, the most common illegal drugs are marijuana, cocaine, heroin and mandrake which were introduced in the urban and peri-urban areas

after the second world war, following the return home of the soldiers who had been exposed to new cultural and recreational practices in the war; the growth of tourism industries in the early 1990's; and urbanization and economic liberalization, which puts some Tanzanians into some sort of interface with the global world.

### 2.1 Cannabis

Cannabis has been illegal in Tanzania since the formation of the Drug Control commission in 1997, although it has been used for many years as a booster for working hard in some communities and medicine in others whereby it can be used to heal ailments such as ear-ache. Cannabis is widely cultivated in rural areas, mainly in the Southern highlands of Iringa, Mbeya and Njombe, Lake Zone of Shinyanga and Mara, Coastal Zone of Tanga and the Northern Zone of Arusha, Manyara and Kilimanjaro [6,7]. Seizures of cannabis in the period between 2005 and 2013 as shown in (Table 1) indicate that, the industry is growing fast domestically and internationally. Kafanabo [8]; Sheshata [9] reveals that cannabis is the most abused and trafficked drug in the country. In recent years, its cultivation has increased, hence its being considered as "green gold" in the areas where it is cultivated, due to the good price in the neighbouring countries of Kenya, Mozambique and Ethiopia, as compared to the traditional crops whose price has been falling day after day in the world market. Although there is not enough evidence to support that, government officials have been quoted saying that farmers have opted for production of cannabis as an easy way of generating good income to pay for their children's education and fulfil their basic family needs.

On the other hand, Masibo, Mndeme & Nsimba [7] reports that cannabis is on the increase in schools and communities and is being smoked more frequently by school and non-schooling adolescents and youths. It is estimated that 5-7% of adolescents and youths in some primary and secondary schools have been using cannabis, which is mostly used openly in some streets, playgrounds and in recreational places. Medicins Du Monde [10] reports that marijuana has been smoked along side with heroin and youths tend to mix marijuana and heroin to make the stimulant stronger, hence its being known as

“cocktail”. Tanzania is ranked 3<sup>rd</sup> in Africa after Nigeria and South Africa for exports and consumption of cannabis [11] see Fig. 1



**Fig. 1. Tanzania anti-drug police officers destroying a cannabis plantation in Tanga Region**

Source: Nestory [12]

## 2.2 Khat

For many years, Khat (“Mirungi” in Kiswahili) has been widely cultivated in Kenya and Ethiopia, and chewed in all Eastern Africa countries. In Tanzania, khat was introduced by Somali migrants in the early 1980’s and is still being cultivated in small quantities in some regions such as Arusha, Kilimanjaro and Mara Masibo et al. [7]; Nestory [12]. However, due to the growing number of young adults chewing the stimulants, khat like other illicit drugs was banned as a precaution taken by the government to protect young people from dependence on the drug. In recent years, some MP’s from areas where khat is cultivated have challenged the government to legalize the stimulant with the argument that there is no direct proven effect [13]. A large amount tons of khat entering Tanzania passes through unprotected routes existing in Namanga, Tarime and holili, in the borderline of Kenya, to Arusha, Kilimanjaro, Tanga and Dar es Salaam. Khat is imported extremely secretly, but is distributed openly and chewed officially Lazaro [14]. Reports commissioned by researchers and media [12,14,15] indicate that Dar-es Salaam, Tanga, Kilimanjaro, Arusha and Manyara Regions have the majority of khat (Mirungi) users who are largely adolescents and youth, as well as adults aged between 12 and 35 years. The World Health Organization (WHO) [16] classified khat as a harmful drug since it leads to physical and mental damage, depression, male infertility, loss of sleep and decreased sexual desire. However, it is less addictive as compared with tobacco and alcohol.

## 2.3 Other Illicit Drugs

Illicit drugs such as heroin, cocaine and mandrake have found their way into Tanzanian communities through the growth of tourism industry which has created a large demand for heroin and cocaine. Today these drugs are consumed locally in many streets in the entire country [17]. *Medicins Du Monde* [10] reports that heroin and cocaine arrived in Tanzania in the early 1990’s and the majority of the people did not know how it looked like. Some smoked and sniffed it while others injected it into their bodies and it thus became fashionable among youngsters, as everyone wanted to taste it. The report further indicates that most of the teens developed addictive habits and some of them started selling heroin and cocaine. McCurdy, Kilonzo, William & Kaaya [18] indicate that drug injection among Tanzanian youths become popular during 2001 and 2003 as a cheap pure heroin started to dominate the local market.

Disastrously, Tanzania is estimated to be a home of between 25,000 and 50,000 heroin and cocaine users across the country, but the figure could be higher if the actual data from Zanzibar Isles, which is reported to be notorious in drug abuse was properly documented [3,6,10,17]. The Ministry of Health and Social Welfare [19] indicates that at least 10% of Zanzibar’s 1.3 million inhabitants are addicted to what is known as “brown sugar” or “Obama”. Although there are no accurate official data about drug abuse in the country, Dar es Salaam, which has a population of five million people is estimated to have 10,000 - 15,000 heroin and cocaine addicts. Heroin and cocaine are relatively cheap in the streets of Dar es Salaam, Zanzibar, Mwanza, Tanga and Arusha and the users can pick one wrapped foil full of it known as “kete” for 1 US Dollar which is equivalent to 2,200 Tshs [10,20]. Other illicit drugs reported to be used by the majority of adolescents and youths in Tanzania include; mandrake, local brew, industrial brew, glue and prescription drugs.

## 2.4 Anti-Drug Agency

Tanzania is a signatory to the 1988 United Nations (UN) convention against illicit traffic in narcotic drugs and psychotropic substances. In achieving this objective, the government passed the National Drug Control Act No. 9 of 1995 which established a severe punishment for the production and trafficking of narcotics. The Act stipulates long sentences, including life

imprisonment, a penalty of not less than 10 million Tanzanian Shillings and forfeiture of property derived from or used in the trafficking of illicit drugs and psychotropic substances [21]. Despite the presence of laws and a national agency responsible for eradicating drug trafficking and use, the war against drug seems to be difficult since there is a growing number of users and addicts (see Table 5). It is estimated that between 250,000 and 600,000 adolescents and adults aged 15 - 55 are drug users; and out of this number, 25,000 - 50,000 are heroin and cocaine addicts, which is threatening the national security and future economic development [6,10]. The main reasons for such increase, hypothetically, are corruption and limited resources from the enforcing laws. However, the initiative of the international anti-narcotic control and Tanzania anti- drug police in eradication of drug trafficking and abuse have resulted into seizures metric tons of drugs and persons connected with business as presented in Table 1 from 2005 – 2013.

On the other hand, during the International day against drug abuse and illicit trafficking on 9<sup>th</sup> February 2013, the former Prime Minister, Mizengo Pinda tabled statistics on the increasing number of Tanzanians arrested abroad on drug trafficking. Honourable Pinda stated that a total of 400 Tanzanians had been arrested in 21 countries, including Brazil, China, Hong-Kong, UK, Kenya and Iran for the matters related to drug trafficking [20].

## 2.5 Source and Availability of Drugs in Tanzania

Tanzania lies on the major corridor for drugs trafficked across the Indian Ocean from the Middle East, Central, South-East, and South-West Asia, Latin America, Europe and the United States of America, thus making psychotropic substances like cocaine, heroin, hashish, mandrake, as well as resinous materials used as a hallucinogen easily find their way into Tanzania [6]. Furthermore, the strategic position of Tanzania of sharing her frontiers with eight countries, six of which are landlocked, its good road networks to the neighbouring countries as well as presence of a long stretch of coastline on the Indian Ocean has contributed, to a great extent, in making the country vulnerable to illicit drug trafficking [8]. Tanzania is primarily a transit country by traffickers moving hashish, heroin and cocaine from Afghanistan, South America, Iran and East Asia to the market in Africa. It has been

reported that lack of functional equipment and resources and rampant corruption among responsible officials reduces the country's capacity to impound narcotic as the large shipments of heroin from Iran, Pakistan and Afghanistan come ashore in these areas. The Tanzanians and foreign drug mules bring a small amount of cocaine from Brazil, Bolivia, and Peru which enter Tanzania through commercial airports [3].

The United Nations Office for Drug Crime in Eastern Africa (UNODC- ROEA) report [22] indicates that East Africa is a major target for traffickers to enter African markets because of its unprotected coastline, major seaports, rampant corruption of government officials and porous land borders which provide multiple entry and exit points. The UNODC-ROEA map shows that heroin and cocaine filter across Tanzania's borders into Mozambique, Malawi and Zambia and others to the United States and Western Europe, while smaller quantities of heroin and cocaine are moved by air, making use of both cargo and courier services [22]. The reports by Nchimbu; Nsimba et al. Possi [23-25] indicate that Dar Es Salaam, Zanzibar and Tanga have had more cases of drug trafficking and consumption than other Regions, possibly because of their access to sea transportation. However, the increasing drug use and abuse among adolescents and youth adults has been reported over the whole country see Fig. 2.

## 2.6 Adolescents Drug Abuse

A famous quote from Ferri's Buellers' day off movie says, "Life moves pretty fast; and if you do not stop and look around once in a while, you would miss it" [26]. Today's Tanzanians and other adolescents and youth worldwide fit in this statement as stimulants, tranquillizers, sedatives and alcohol are in the pace of their lives as they immediately pick up, settle us down and mellow us out [27]. The World Free Drug report [28] shows that illicit drug and alcohol use are among the substances that kill children's future as in every 2 minutes, adolescents and youth experiment illicit drug for the first time in the street and school campus. The most vulnerable and victim group of these behaviours are young people aged between 12 and 19 years. In the United States of America, for example, Johnston et al. [29] indicates that 22.6% of 8<sup>th</sup>, 10<sup>th</sup> and 12<sup>th</sup> grades' pupils had used alcohol, 14.4% marijuana, 8% cigarette, 1.1% cocaine/heroin and above 18. 5% had used other illicit drugs in

the previous 12 months. In Australia, the Australian Drug Foundation [30] shows that 40% of adolescents aged 12-17, had used alcohol while above 12% had used other illicit drugs.

In South Africa, the 'National Survey on Risky Behaviours' commissioned by South African National Youth [31] reveals that alcohol, cigarette, cannabis (dagga), inhalants, and heroin were the most commonly abused substances among school adolescents. The percentage of school adolescents nationally reported using alcohol was 49.6%, cigarette - 29.5%, cannabis - 12.7%, inhalants - 11.1% and heroin - 11.5%. In Kenya, a survey commissioned by Koome and NACADA on alcohol and illicit drug abuse among school adolescents in Nairobi found that alcohol and drug use were on the increase and were linked with criminology such as suicide, delinquency and psychological difficulties [32]. The survey found that the most commonly abused substances were alcohol at the rate of 36.6%, Miraa - 31.5%, cigarettes - 20.2%, bangi (cannabis) - 9.8%, khuber - 5.5, heroin - 3.1, glue - 2.7% amphetamine - 2.6% and cocaine - 2.2%.


In Tanzania, although there is no national baseline survey commissioned to determine the extent of the problem, limited studies and media reports reveal that 5-12% of school-going adolescents and youths are involved in drug use and abuse [18,19,23,33]. A baseline survey commissioned by the World Health Organization (WHO) about Tanzania in 2008 on primary

school pupils aged 13-15 revealed that substance use among school adolescents had been dominated by both illegal and legal substances as presented in Table 2.

Kaduri et al. [34] carried out a study on smokeless tobacco use among primary and secondary school adolescents in Dar es Salaam. It was found that the lifetime prevalence was 4.4% in a sample of 1, 011 adolescent aged 14-19 (see Table 3). Among young people aged 13-15, Kapito-tembo et al. [35] estimated the lifetime prevalence of tobacco smoking was 13.3% in a sample of 1947 and current smoking was 4% for both boys and girls respectively in Dar es salaam.

Another report on prevalence of substance use and psychosocial factors among secondary school pupils was conducted in Dodoma. The findings indicate that substance use among secondary school pupils was on the increase see Table 4 [33]. Beckerleg et al. [36] reported the prevalence of illicit drug in Dar es Salaam among less than 18 years. The findings show that 75% of the 624 sampled had used alcohol, cannabis, heroin and khat and 114 (18.3%) have injected drugs.

Studies documenting adolescent and youth drug use and abuse in schools are scarce. The available studies conclude that alcohol, cigarette and marijuana are widespread in schools across ages and their effects are candidly observed,



**Fig. 2. Major drug transit routes in the East Africa Region**

Source: UNODC-ROEA [22]

**Table 1. Drugs seized and number of arrested persons connected with drug trafficking in Tanzania from 2005 – 2013**

<b>Years &amp; Tons/Kg seized</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>2013</b>	<b>No. of arrested persons</b>
Cannabis (Tons)	151	225.3	60	76.4	56.2	4.03	17.3	48.7	85.6	30,155
Khat (Kg)	1,122	5,145	2.25	5,332	22,904	3,692	126	6,216	12,800	4,090
Cocaine (Kg)	0.42	4.13	6.638	3.56	4.389	62.9	126.3	151	4	1,351
Heroin (Kg)	9.9	91.7	16.2	3.7	9	185.8	264.3	260	36	1,575
Mandrax	-	11.47	3.05	0.53	0.1	-	-	-	-	25
Morphine	1.4	37	0.94	-	0.619	1.5	-	-	-	167

*Source: Drug control commission report [6]***Table 2. Alcohol and other drug use among pupils by sex in dar es Salaam region**

<b>Variable category</b>	<b>Sex</b>		<b>Lifetime prevalence (%)</b>
	<b>Male (%)</b>	<b>Female (%)</b>	
Used drink containing alcohol during past 30 days	6.2	3.9	5.1
Binge drinking	5.7	3.2	4.5
Pupils usually drinking beer, lager, tusker	4.7	3.6	4.2
Used alcohol before 14 years	12.1	9.7	10.8
Smoked cigarette in the past 30 days	4.1	1.4	2.7
Used any other form of tobacco such as chewed, snuff in the past 30 days	6.3	2.5	4.3
Ever used bang or cocaine once or more times	6.5	4.4	4.4

**Table 3. Tobacco use prevalence among pupils by Sex in Dar es Salaam**

Variable category	Sex		Lifetime prevalence (%)
	Male (%)	Female (%)	
Ever smoked cigarette	6.4	2.5	4.4
Used any other form of tobacco, such tobacco roll, dipped, snuff in the past 30 days	3.2	1.1	2.2
Ever chewed tobacco	6.4	2.5	4.4

**Table 4. Prevalence of substance use among school pupils in Dodoma Region**

Variable category	Total sex=1495		Prevalence by both sex (%)
	Male (%)	Female (%)	
Consumed alcohol in the past 30 days	50 (3.3)	50 (3.3)	100 (6.7)
Smoked cigarette in the past 30 days	39 (2.6)	16 (1.1)	55 (3.7)
Smoked cannabis in the past 30 days	21 (1.4)	8 (0.5)	29 (1.9)
Used inhalants in the past 30 days	46 (3.1)	61 (4.1)	107 (2.4)
Other illicit drugs such as cocaine, heroin, khat	8 (0.5)	4 (0.3)	12 (7.2)
Overall total	164 (11)	139 (9.3)	303 (20.3)

including increased physical abuse, sexual harassment, unplanned pregnancies, school dropout, absenteeism, and spread of HIV/AIDS for those injecting themselves with drugs. These studies recommend the need for rapid assessment and drug prevention programmes which have not been implemented up to now.

### 3. TREATMENT AND SERVICES TO HARM REDUCTION STRATEGIES

Tanzania was the second country in Sub-Saharan Africa, after Mauritius, to open the Methadone Maintenance Treatment (MMT) clinic for drug addicts and HIV positive in 2011. It is estimated that 50,000 intravenous drug users in Tanzania are facing complex issues of syringe and needle sharing and unsafe sex whereby youths and teenagers do not use condoms. As a result, 42% of them are HIV positive [37]. Methadone treatment, HIV testing and counselling are considered essential components of the comprehensive package of intravenous drug users and HIV prevention programmes among drug users [38]. The methadone treatment financed by the U.S. President's Emergency Plan for AIDS Relief was first launched at Muhimbili National Hospital and

further extended to other two hospitals of Mwananyamala and Temeke in Dar Es Salaam [37,39].

Methadone Maintenance Treatment (MMT) is considered as redeemer for injecting drug and HIV positive for poor people, as it tends to reduce opioid dependence, morbidity, mortality, sexual desire and injecting-related risk behaviours [38,40]. Ever-since the MMT clinic was opened in three hospitals, the number of young people and adults receiving the treatment has been increasing (see Table 5). On the other hand, Local NGO's and International donors, including Pangaea, USAIDS and PEPFAR, Medicine Du Monde have been working closely with the Ministry of Health to service and support drug addicts and those who are HIV positive. Services at Local NGO's include psychological services, outreach and case management, provision of clean needles and syringes, dustbin equipment and condoms [41]. Unfortunately, many of these Local NGO's and Medical Assisted Treatment (MAT) are based in Dar es Salaam and Zanzibar, while drug addicts who need these services are scattered all over the regions.

**Table 5. Enrolment of patients receiving addiction treatment at MAT Site by December 2014**

Enrolment status	Age	Male N (%)	Female N (%)	Cumulative (%)
Muhimbili National Hospital	16-53	782(93.2%)	57(6.8%)	839(100%)
Mwananyamala Hospital	13-54	666(79.01%)	177(20.09%)	843(100%)
Temeke Hospital	12-49	98 (93.3)	7 (6.2%)	105 (100%)
Overall total	12-54	1, 546(86.5)	241(13.5%)	1, 787(100%)

Source: Tanzania Ministry of Health and Social Welfare [41]

## 4. CONCLUSIONS

Tanzania is a major route of drug traffickers, which has also turned to be a major consumer of illicit drugs in East Africa. Seizures of metric tons have been increasing as per news headlines that are announced every day. The general public is worried about the lack of transparency of the government on where the impounded tons of drugs are kept. The society is worried because when the drugs are seized, the media reports, but they are not told when and where they are destroyed. This has increased speculations that there are some unfaithful civil servants who are involved in the drug business. The situation is frightening as the number of addicts is growing fast while drugs have found their way into primary and secondary schools as 5% to 12% of the school adolescents have been reported to be involved in drug abuse including those taken through injecting themselves. In addition, some young people have been persuaded by drug barons to engage in the business as petty dealers by promising them quick money.

## 5. RECOMMENDATIONS

- The government should take strong action against these drug dealers. This includes passing of the pending 2009 narcotics laws by the parliament to stern punishment against drug booming business.
- The Ministry of Education, Technology and Vocational Training (MOEVT) must integrate a comprehensive curriculum on substance abuse in both primary and post primary schools to neutralize the influence of peer, media pressure in influencing students into substance abuse.
- The government should introduce a mandatory and a punitive drug test for schools as the main tool to identify drug using students.
- The government should extend Medical Assisted Treatment (MAT) services to at least all centres of the largest cities in the country.
- The government should establish a mobile rehabilitation services specifically for students who are substance abusers so as to help them continue with their education while undergoing rehabilitation
- Parents and other relatives must take full responsibility of advocating for more appropriate ways of nurturing their children, supervising them and punishing

unwelcome behaviours, such as drug use and sexual risk behaviours.

## COMPETING INTERESTS

Authors have declared that no competing interests exist.

## REFERENCES

1. World Bank. Working for a world free poverty; 2014.  
Available:[www.worldbank.org/en/topic/poverty](http://www.worldbank.org/en/topic/poverty) 5<sup>th</sup> December, 2015.
2. Mbashiru K. Political will to deal with drug kingpins is lacking; 2013.  
Available:[www.the\\_citizen.co.tz/news](http://www.the_citizen.co.tz/news) on 15<sup>th</sup> March, 2016.
3. U.S. Department of State. International narcotic control strategy country report; 2012.  
Available:<http://www.state.gov/documents/organization/191500.pdf> on 16<sup>th</sup> December, 2015
4. USAID. The development responses to drug trafficking in Africa. A programming guide. The United States Agency for International Development. New York; 2013.
5. Kimanthi MM. Strategies used by secondary schools in Kenya to address drug abuse menace, the case of Kitui. Researchjournal's Journal of Education. 2014;2(12):1-15.
6. Drug Control Commission. (2011, 2012 & 2013). The drug and prevention of illicit trafficking report. Dar Es Salaam, Tanzania.
7. Masibo RM, Mndeme E, Nsimba EDS. An assessment of knowledge, attitudes and practices of psychoactive substance use among secondary school pupils in Dodoma Municipality, Tanzania. American Journal of Research Communication. 2013;1(4):200-240.  
ISSN: 2325-4076.
8. Kafanabo J. Permanent mission of the united republic of Tanzania: The United Nations, agenda item 107: International Drug Control. Geneva; 2007.
9. Sheshata. Cannabis in Tanzania; 2013.  
Available:[Sensiseeds.com](http://Sensiseeds.com) on 4<sup>th</sup> January, 2016.
10. Mediciens Du Monde. Assessment of risky practices and infectious diseases among drug users in Temeke District, Dar es Salaam, Tanzania. Burnet Institute Centre for Population Health, Melbourne, Australia; 2011.



11. International Narcotics Control Board. Report on narcotic drugs: Estimated world requirements for 2014 - statistics for 2012 (E/INCB/2013/2). United Nations Publication, Vienna; 2013.
12. Nestory N. Kikwete -Tanga gateway for drug traffickers; 2014.  
Available:[www.dailynews.co.tz/index](http://www.dailynews.co.tz/index) on 11<sup>th</sup> March, 2016.
13. Mwakyusa A. Government says won't legalize marijuana and khat consumption; 2016.  
Available:[www.dailynews.co.tz](http://www.dailynews.co.tz) on 15<sup>th</sup> February, 2016.
14. Lazaro H. Police crackdown khat in Arusha Region, Tanzania; 2013.  
Available:<http://www.Arusha.time.co.tz>, issue No.706 on 15<sup>th</sup> March, 2016.
15. Ndosi NK. Causes and problems of substance abuse amongst the youth in Tanzania. African Journal of Medical Practice. 1999;6(2):55.
16. WHO. Catha edulis (khat): Some introductory remarks; 1980.  
Available:<https://www.unodc.org/unodc/en/data-and-analysis/bulletin/bulletin> on 11<sup>th</sup> February, 2016.
17. United Republic of Tanzania. Tanzania foreign policy and government guide: Volume 1 strategic information and developments. Global Investment and Business Centre USA; 2013.
18. McCurdy S, Kilonzo GP, Williams M, Kaaya S. Harm reduction in Tanzania: An urgent need for multisector intervention. International Journal of Policy. 2007; 18:155-159.
19. Ministry of Health and Social welfare. Tanzania a home to 25,000 heroin addicts; 2012.  
Available:[www.ippmedia.com/frontend](http://www.ippmedia.com/frontend) on 16<sup>th</sup> December, 2015.
20. Elinaza A. Tanzania reports success on drugs battle; 2013.  
Available:[dailynews.co.tz/news](http://dailynews.co.tz/news) on 9<sup>th</sup> February, 2016.
21. United Republic of Tanzania. Drugs and prevention of illicit traffic and drugs Act, No. 9 of 1995. Government printer, Dar es Salaam, Tanzania; 1995.
22. UNODC-ROEA. Drug Trafficking patterns to and from Eastern Africa. Nairobi, Kenya; 2013.
23. Nchimbu JV. The evaluation of the magnitude of drug abuse, trafficking and related issues in selected Primary Schools in Kinondoni Municipality, Dar es Salaam Region; 2005.  
Available:[academicarchive.snhu.edu/bitstream/handle/](http://academicarchive.snhu.edu/bitstream/handle/) on 18<sup>th</sup> November, 2015.
24. Possi MK. Effects of drug abuse on cognitive and social behaviours: A potential problem among youth in Tanzania. UTAFITI (New Series). 1996;3(1):111-128.
25. Nsimba SED, Kayombo EJ, Amos Y, Massele AY, Laurent Y, Lusajo M. Characteristics of drug abusers in an urban community of Tanzania. American Journal of Research Communication. 2013;1(7): 87-99.
26. Hughes J. Ferri's Bueller's day off; 1986. Available:[www.imdb.com/title/tt0091042/fullcredits](http://www.imdb.com/title/tt0091042/fullcredits) on 16<sup>th</sup> October, 2015.
27. Jacob NJ. Adolescence: Continuity, change and diversity (6th Edition). McGraw Hill, New York; 2007.
28. World Free Drug. Substance, alcohol abuse and education programme. Foundation for Drug Free World; 2013.
29. Johnston LD, O'Malley PM, Miech RA, Bachman JG, Schulenberg JE. Monitoring the future national survey results on drug use: 1975-2014: Overview, key findings on adolescent drug use; 2015.  
Available:<http://monitoringthefuture.org/publications/monographs/mtf-overview2014.pdf> on 14<sup>th</sup> January, 2016.
30. Australian Drug Foundation. What 12-17 year olds are really using; 2014.  
Available:[http://www.druginfo.adf.org.au/attachments/1478\\_What712yearoldsareallyusingpdf](http://www.druginfo.adf.org.au/attachments/1478_What712yearoldsareallyusingpdf) on 4<sup>th</sup> October, 2015.
31. South African National Youth. The 2nd South African national youth risky behaviour survey. Health promotion research and development unit of the medical research council, South Africa; 2008.  
Available:[http://www.mrc.ac.za/healthpromotion/yrebs\\_2008\\_final\\_report.pdf](http://www.mrc.ac.za/healthpromotion/yrebs_2008_final_report.pdf) on 15<sup>th</sup> January, 2016.
32. Koome P. NACADA Role of school environment in alcohol and drug abuse among students: Evidence from public secondary school Students in Nairobi; 2011.
33. Simbee G. Prevalence of substance use and psychosocial influencing factors among secondary school students in Dodoma Municipality; 2012.  
Available:[ir.muhas.ac.tz:8080/jspui/browse](http://ir.muhas.ac.tz:8080/jspui/browse) on 8<sup>th</sup> November, 2015.

34. Kaduri P, Kitua H, Mbatia J, Kitua AY, Mbwambo J. Smokeless tobacco use among adolescents in Ilala Municipality. Tanzania Journal Health. 2008;10:28-33.
35. Kapito-Tembo A, Muula AS, Rudatsikira E, Seter Siziya S. Smoking among in-school adolescents in Dar es Salaam, Tanzania: Results from the global youth Tobacco Survey. Tanzania Journal of Health Research. 2011;13(3):1-13.
36. Beckerleg S, Telfer M, Hundt GL. The rise of injecting drug use in East Africa: A case study from Kenya. Harm Reduction Journal. 2005;(2):12.  
DOI: 10.1186/1477-7517-2-1.
37. Lanktree L. Tanzania First Methadone clinic: A smiling success; 2014.  
Available:[www.talkingdrugs.org/tanzania](http://www.talkingdrugs.org/tanzania) on 11<sup>th</sup> February, 2016.
38. Tran CO, Bruce DR, Masao F, Ubuguyu O, Sabuni N, Mbwambo J, Lambdin HB. Implementation and operational research: Linkage to care among methadone clients living with HIV in Dar es salaam, Tanzania. Journal Acquir Immune Defic Syndr. 2015;69(2):e43–e48.
39. WHO. New treatment gives hope to East African drug users; 2013.  
Available:[www.who.int/bulletin/newtreatment](http://www.who.int/bulletin/newtreatment) on 20<sup>th</sup> March, 2016.
40. Seushi A. Factors associated with adherence to methadone treatment among heroin users attending a methadone assisted treatment programme at Muhimbili National Hospital; 2013.  
Available:<http://ir.muhas.ac.tz:8080/jspui/bitstream> on 20<sup>th</sup> March, 2016.
41. URT. National scale up plan for medically assisted treatment using methadone for people who use drugs in Tanzania. Ministry of Health and Social Welfare. Dar es Salaam; 2015.

© 2016 Yusuph and Negret; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*  
*The peer review history for this paper can be accessed here:*  
<http://sciencedomain.org/review-history/14577>